

RX 304

Bakery oven



Ref. 710522



TECHNICAL CHARACTERISTICS

Electric power 3100 W

Max temperature 250 °C

Weight 35 kg

Voltage 230 V-50/60 Hz

Connection Single phase Shucko

Internal dimensions (W)450x(D)340x(H)345 mm

External dimensions (W)590x(D)675x(H)540 mm

Humidifier (ref. 710523) **optional**


FUNCTIONS - FEATURES

- Safety thermostat
- 0-60 Minute timer
- Non-stop mode
- Standard equipment 4 perforated aluminium trays

CAPACITY

4 trays 430x340

4 trays GN 2/3



RX 304

Specific accessories



RX 43/44 Stand

Ref. 710547



(W)590x(D)580x(H)850 mm

Wheels

Ref. 710286



Wheeled option

Fumes condenser kit

RX SERIES

Ref. 710551

(W)170x(D)70x(H)400 mm

RX H2O SERIES


Ref. 710552

(W)720x(D)85x(H)450 mm

RX DUO SERIES


Ref. 710553

(W)580x(D)120x(H)180 mm



RX 43/34 Superposition kit

Ref. 710554



(W)640x(D)720x(H)40 mm

RX 304



DECLARACIÓN UE DE CONFORMIDAD EU DECLARATION OF CONFORMITY

Directiva(s) del Consejo con la(s) que se declara conformidad:
Council Directive(s) to which conformity is declared:

DC 2014/35/EU + DC 2014/30/EU + DC 2011/65/EU

Aplicación de las Normas:
Application of the Standards:

UNE-EN 60335-1:2012 + AC:2014 + A11:2014 + A13:2017 + A14:2014 + A2:2020 + A1:2020; UNE-EN 60335-2-42:2004 + Corr:2007 + A1:2008 + A11:2012; UNE-EN 55014-1:2017 + A11:2021; UNE-EN 55014-2:2015; UNE-EN 61000-3-2:2014; UNE-EN 61000-3-3:2013 + A1:2020

Fabricante / *Manufacturer's name:*

**FM CALEFACCIÓN S.L.
CIF: B-14343594**

Dirección / *Manufacturer's address:*

**CTRA. de Rute km.2.700, C.P.:14900, Lucena
Cordoba, Spain**

Tipo de aparato / *Type of device:*

HORNO / OVEN

Marca / *Trade:*

FM CALEFACCIÓN

Modelo / *Model no.:*

RX 304

N/S: 21XXXXXXXXXX

Nosotros, los abajo firmantes, declaramos bajo nuestra exclusiva responsabilidad que el equipo especificado cumple con la(s) Directiva(s) y Norma(s) mencionadas

We, the undersigned, hereby declare under our sole responsibility that the specified equipment is in conformity with the above Directive(s) and Standard(s)

Lugar / *Place:* **Lucena**

Firma / *Signature:* **B-14343594**

Fecha / *Date:* **01/01/2021**



RX 304



TECHNICAL CHARACTERISTICS		CONNECTIONS	
Net Weight (oven)		1	Electrical connection
Gross Weight (oven+packaging)		2	Hot gases outlet Ø30 mm
Supply voltage	230 Vac - Single phase	3	Safety thermostat reset
Frequency	50 Hz	4	Safety distance ≥ 120 mm
Power cable	Hose 1F+N+T 2,5 mm ² (shucko)		
Noise level	Below 70 dB		
Electric power	3100 W		
Thermal power	3000 W		

*Dimensions in mm

