

RXD 384

Bakery oven



Ref. 710542



FUNCTIONS - FEATURES

- *End of cycle alarm*
- *Humedad regulable 0/100%*
- *Cooking phases*
- *Recipe book*
- *Door switch*
- *Automatic preheating*
- *3/4" water connection*
- *Safety thermostat*
- *Interior light*
- *Rotation inverter*
- *Equipped with 4 wire trays*

TECHNICAL CHARACTERISTICS

Electric power 3200 W

Max temperature 260 °C

Weight 40 kg

Voltage 230 V-50/60 Hz

Connection Schuko single phase


Internal dimensions (W)450x(D)370x(H)345 mm

External dimensions (W)590x(D)700x(H)540 mm

CAPACITY

4 trays 430x340

4 trays GN 2/3



RXD 384

Specific accessories



RX 43/44 Stand

Ref. 710547



(W)590x(D)580x(H)850 mm

Wheels

Ref. 710286



Wheeled option

Fumes condenser kit

RX SERIES

Ref. 710551

(W)170x(D)70x(H)400 mm

RX H2O SERIES

Ref. 710552

(W)720x(D)85x(H)450 mm

RX DUO SERIES


Ref. 710553

(W)580x(D)120x(H)180 mm



RX 43/34 Superposition kit

Ref. 710554



(W)640x(D)720x(H)40 mm

DECLARACIÓN UE DE CONFORMIDAD EU DECLARATION OF CONFORMITY

Directiva(s) del Consejo con la(s) que se declara conformidad:

Council Directive(s) to which conformity is declared:

DC 2014/35/EU + DC 2014/30/EU + DC 2011/65/EU

Aplicación de las Normas:

Application of the Standards:

UNE-EN 60335-1:2012 + AC:2014 + A11:2014 + A13:2017 + A14:2014 +A2:2020 + A1:2020; UNE-EN 60335-2-42:2004 + Corr:2007 + A1:2008 + A11:2012; UNE-EN 55014-1:2017 + A11:2021; UNE-EN 55014-2:2015; UNE-EN 61000-3-2:2014; UNE-EN 61000-3-3:2013 +A1:2020

Fabricante / *Manufacturer's*
address:

**FM CALEFACCIÓN S.L.
CIF: B-14343594**

Dirección / *Manufacturer's*
address:

**CTRA. de Rute km.2.700, C.P.:14900, Lucena
Cordoba, Spain**

Tipo de aparato / *Type of device:*

HORNO / OVEN

Marca / *Trade.:*

FM CALEFACCIÓN

Modelo / *Model no.:*

RXD 384

N/S: 21XXXXXXXXXX

Nosotros, los abajo firmantes, declaramos bajo nuestra exclusiva responsabilidad que el equipo especificado cumple con la(s) Directiva(s) y Norma(s) mencionadas

We, the undersigned, hereby declare under our sole responsibility that the specified equipment is in conformity with the above Directive(s) and Standard(s)

Lugar / *Place:* **Lucena**

Firma / *Signature:* **B-14343594**

Fecha / *Date:* **01/01/2021**



RXD 384



TECHNICAL CHARACTERISTICS		CONNECTIONS	
Net Weight (oven)		1	Electrical connection
Gross Weight (oven+packaging)		2	Hot gases outlet Ø30 mm
Supply voltage	230 Vac - Single phase	3	Safety thermostat reset
Frequency	50/60 Hz	4	Safety distance ≥ 120 mm
Power cable	Hose 1F+N+T 2,5 mm ² (shucko)	5	Drainage Ø30 mm
Noise level	Below 70 dB	6	Water inlet 3/4"
Electric power	3200 W		
Thermal power	3000 W		

*Dimensions in mm

